

**DR. JAMES C. SALATO WILDLIFE EDUCATION CENTER**  
**NATIVE PLANT PROGRAM**  
**2006 Fall Sale**  
**Saturday, August 26, 2006**

**Most Plants \$5.00 and \$6.00**

Kentucky Department of Fish and Wildlife Resources, #1 Sportsman's Lane, Frankfort KY 40601, (502) 564-7863 or (800) 858-1549

**NATIVE PERENNIALS**

Agave ( <i>Agave virginiana</i> )	3-4'	succulent leaves, green flowers in summer, drought tolerant, full sun
Alum, Hairy ( <i>Heuchera villosa</i> )	3'	long spikes of whitish-green flower, summer, shade to partial, moist soil
*Aster, Aromatic ( <i>Aster oblongifolius</i> )	2-3'	blue flowers with yellow centers in fall, full or part sun, drought tolerant
Aster, Arrow-leaved ( <i>Aster sagittiflorus</i> )	3'	blue flowers, large arrow-shaped leaves, partial shade, moist soil
Aster, Calico ( <i>Aster laterifolius</i> )	3-4'	small white flowers in autumn, full sun, average soil
Aster, New England ( <i>Aster novae-angliae</i> )	3-5'	large showy purple flowers, late bloomer, full sun, well-drained soil
Aster, Crooked Stemmed ( <i>Aster prenanthoides</i> )	1-2'	1" wide lavender flowers in autumn, full to part sun, moist to wet soil
Aster, Short's ( <i>Aster shortii</i> )	2-3'	deep violet-blue flowers in fall, shade to partial shade, well-drained soil
Aster, Swamp ( <i>Aster puniceus</i> )	8'	large massed of violet flower in Aug-Sept, sun to partial sun, wet to normal soil
Bell Flower, American ( <i>Campanula americana</i> )	2-6'	biennial, blue spikes, July to frost, avg-moist soil, partial sun
Beardtongue, Smooth ( <i>Penstemon digitalis</i> )	2-4'	white clusters, May-July, sun to partial sun, well-drained soil, birds, hummers
Bee Balm ( <i>Monarda didyma</i> )	3-4'	bright red flowers in dense clusters, mint, grows in avg. or moist soil, butterflies, hummers
Blazing Star, Rough ( <i>Liatris aspera</i> )	3-5'	pink-purple button-shaped flower clusters, Aug-Oct, full sun, avg. to dry soil
Blazing Star, Southern ( <i>Kuhnia squarrokisa</i> )	2-4'	pink-purple in multiple clusters, fall, full sun, dry soil
Blazing Star, Prairie ( <i>Liatris pycnostachya</i> )	3-4"	dense spikes on erect stems, avg. to moist soil, full sun, butterflies, hummingbirds
Blue-eyed Grass ( <i>Sisyrinchium angustifolium</i> )	6-18"	iris family with grass-like leaves, blue flowers, well drained soil, sun to partial shade
Blue Star ( <i>Amsonia tabernaemontana</i> )	3-4'	blue star- shaped flowers, late spring, full or part sun, moist soil
Bradbury's Monarda ( <i>Monarda Bradburnia</i> )	2-3'	light pink blooms, May, full to partial sun, drought-tolerant, hummingbirds, moths
Boltonia ( <i>Boltonia asteroides</i> )	2-6'	white disk flowers, Sep-Oct, tolerates wide range of soil and moisture
Boneset ( <i>Eupatorium perfoliatum</i> )	3-5'	white, August, sunny wet ground, butterflies
Cactus, Prickly Pear ( <i>Opuntia humifusa</i> )	2'	showy yellow flowers in summer, fleshy flattened stems and spiny leaves, full sun
Canada Milkvech ( <i>Astragalus canadensis</i> )	2-5'	white or yellowish flowers, neat seed pods, July, well drained soil, birds
Cardinal Flower ( <i>Lobelia cardinalis</i> )	3-4'	red tubular flowers, Aug, part to full sun, prefers moist soil, hummingbirds
Clover, Purple Prairie ( <i>Dalea purpurea</i> )	2'	purple, mid-summer, full sun, well drained soil, birds, and butterflies
Columbine, Wild ( <i>Aquilegia canadensis</i> )	1-2'	red and yellow flowers in spring, hummingbirds, shade or part sun
Coneflower, Orange ( <i>Rudbeckia fulgida</i> )	3-4'	yellow, August, well drained soil, full sun, birds, butterflies

(\*All species of asters and goldenrods attract butterflies, hummingbirds, and birds)

Coneflower, Yellow ( <i>Ratibida pinnata</i> )	4-5'	yellow, June, well-drained soil, drought tolerant, sun, birds, butterflies
Coreopsis, Tall ( <i>Coreopsis tripteris</i> )	6-8'	large yellow flowers, Jul-Aug, drought tolerant, sun, hummingbirds, birds, butterflies
Culver's Root ( <i>Veronicastrum virginicum</i> )	4-6'	white spiked flowers, June, prairie plant, well-drained soil, part to full sun
Cup Plant ( <i>Silphium perfoliatum</i> )	4-5'	yellow, summer; cup-shaped leaves make natural watering trough, large plant
Goldenrod, Bog ( <i>Solidago uliginosa</i> )	2-5'	yellow, Aug-Sept, full to partial sun, swamps, bog, wet meadows
Goldenrod, Elm-leaved ( <i>Solidago ulmifolia</i> )	3-4'	yellow sprays of flowers in fall, full sun, average to dry soil
Goldenrod, Erect ( <i>Solidago erecta</i> )	1-4'	yellow terminal flowers, Aug-Oct, partial sun, dry soil, butterflies
Goldenrod, Gray ( <i>Solidago nemoralis</i> )	2-3'	yellow, Sept, well drained soil, sun to partial sun, birds, butterflies
Goldenrod, Rigid ( <i>Solidago rigida</i> )	3-4'	yellow clusters of flowers in fall, well-drained soil, drought tolerant, birds, butterflies
Goldenrod, Rough-leaved ( <i>Solidago rugosa</i> )	2-6'	yellow sprays, September, sun, tolerates a wide range of soils, butterflies, birds
Goldenrod, Sweet ( <i>Solidago odora</i> )	2-5'	yellow terminal, plume-like, fall, sun to partial sun, dry soil
Goldenrod, Zigzag ( <i>Solidago flexicaulis</i> )	1-3'	yellow flower clusters, stem is zigzag, sun to partial sun, average to dry soil
Illinois Bundleflower ( <i>Desmanthus illinoensis</i> )	2-3'	greenish-white flowers in summer, twirled clusters of fruit, sun, dry soil
Indian Physic ( <i>Gillenia stipulata</i> )	2-3'	many sm. white to pale pink flowers on ends of branches, May-July, dry or moist soils, shade
Indigo, Wild White ( <i>Baptisia alba</i> )	3-5'	similar to blue, slower to establish, moist soil, hummingbirds, butterflies
Iris, Copper ( <i>Iris fulva</i> )	2-3'	showy copper flowers, moist to wet soil, sun to partial sun, hummers, birds
Iris, Dwarf Crested ( <i>Iris cristata</i> )	6-8"	deep blue to violet, yellow beards, Apr-May, shade, well-drained, part-full shade
Ironweed ( <i>Vernonia altissima</i> )	3-4'	flat-topped clusters of purple flowers in summer, average, well-drained soil, butterflies
Joe-Pye Weed ( <i>Eupatorium purpureum</i> )	4-8'	mauve clusters, July-Sept, moist to wet soil, sun to partial sun, butterflies
Lobelia, Great Blue ( <i>Lobelia siphilitica</i> )	3-4'	blue tubular flowers, Aug., average to moist soil, full to partial sun
Loosestrife, Wing-angled ( <i>Lythrum alatum</i> )	1-3'	pink flowers at base of leaves, summer, sun to partial shade, wet soils
Meadow Rue, Tall ( <i>Thalictrum polygamum</i> )	3-7'	billowy masses of white flowers, partial shade, well-drained to damp soils
Milkweed, Butterfly ( <i>Asclepias tuberosa</i> )	1-4'	large orange clusters, well-drained soil, drought tolerant, clay soils, butterflies, hummers
Milkweed, Swamp ( <i>Asclepias incarnata</i> )	3-5'	pink clusters, Jul-Sept, full-pt sun, moist soil, but adapts to garden soil, butterflies, hummers
Milkweed, Common ( <i>Asclepias syriaca</i> )	3-5'	large clusters of rose-purple flwrs, well-drained soils, full to partial sun, hummers and butterflies
Milkweed, Purple ( <i>Asclepias purpurea</i> )	2-3'	rose to purple flwrs, May-Jul, sun to part, moist soil but adapts to garden soil, butterflies, hummers
Meehania ( <i>Meehania cordata</i> )	3-8"	blue, pink, trails along ground, spring, partial sun, moist soil
Mint, Slender Mountain ( <i>P. tenuifolium</i> )	2-3'	white flowers, summer, sun, average soil, butterflies
Mint, Wood ( <i>Blephilia ciliata</i> )	1-1.5'	purple, fuzzy basal leaves, nice ground cover, well-drained soil, butterflies
Mistflower ( <i>Eupatorium coelestinum</i> )	3'	blue-violet, July, average to wet soil, full to partial sun, butterflies
Monkeyflower ( <i>Mimulus alatus</i> )	1'	blue-violet w/ yellow centers, flood-tolerant, part-full shade, birds and hummers
Nodding Wild Onion ( <i>Allium cernuum</i> )	1-2'	pink dangling flowers, narrow grass-like leaves, well-drained soil, full to partial sun, butterflies
Obedient Plant ( <i>Physostegia virginiana</i> )	3-4'	pink, Aug, moist to dry soil, full sun, birds, butterflies, hummers
Petunia, Wild ( <i>Ruellia humilis</i> )	2-3'	blue-violet, Jul-Aug, full to partial sun, well-drained soil, butterflies, hummers
Pink, Wild ( <i>Silene caroliniana</i> )	4-6"	rose pink, partial sun, May-July, well-drained sandy or loamy soil, butterflies, hummers
Primrose, Evening ( <i>Oenothera laciniata</i> )	3-4'	yellow flowers in summer (at night), sun-partial shade, average soil, butterflies
Primrose, Missouri ( <i>Oenothera missouriense</i> )	1'	large yellow flowers in summer, good border plant, avg soil, butterflies, hummingbirds

Primrose, Showy ( <i>Oenothera speciosa</i> )	1'	large pink flowers spring through summer, full sun, good bank stabilizer, butterflies
Purple Poppy Mallow ( <i>Callirhoe involucrata</i> )	1'	fuscia blooms, good full sun ground cover, spreads well
Ragwort, Round-leaved ( <i>Senecio obovatus</i> )	1-2'	yellow flowerheads in flat-topped clusters, spring, partial shade, dry woods and woodland edges
Rattlesnake Master ( <i>Eryngium yuccifolium</i> )	3-4'	yucca-like foliage, green flowers in summer, drought tolerant, butterflies, hummingbirds
Rose Mallow ( <i>Hibiscus moscheutos</i> )	4-5'	lg funnel-shaped white flowers, mid-summer, avg-wet soil hummingbirds, butterflies
Rosinweed ( <i>Silphium integrifolium</i> )	3-5'	yellow, July, well-drained soil, adapted to clay soils, full sun, birds, butterflies
Royal Catchfly ( <i>Selene regia</i> )	3-4'	red flowers, Jul-Aug, leaves mostly basal, well-drained soil, hummers
Sage, Lyre-leaved ( <i>Salvia lyrata</i> )	1-2'	lavender to purple tubular flowers in whorles, full sun, dry soil
Seedbox ( <i>Ludwigia palustris</i> )	3-4'	small yellow flowers in summer, small seed rattles in fall, prefers moist soil
Senna, Wild ( <i>Cassia marilandica</i> )	3-5'	yellow flowers, late summer, average soil, birds, hummingbirds, butterflies
Skullcap, Downy ( <i>Scutellaria incana</i> )	2-3'	purple helmet-shaped flowers in open clusters, full to partial shade, moist soil
Spiderwort, Ohio ( <i>Tradescantia ohiensis</i> )	1-2'	violet-blue, April to July, avg to wet soil, full to partial sun
Spiderwort, VA ( <i>Tradescantia virginiana</i> )	1-2'	violet-blue flowers, Apr-Jul, appear in morning only, shade to full shade, avg soil
Sunflower, Ox-eye ( <i>Heliopsis helianthoides</i> )	3-4'	yellow, June-Sept, full to part sun, well-drained loam, long blooming period, butterflies, hummers
Susan, Sweet ( <i>Rudbeckia subtomentosa</i> )	4'	yellow, July-Sept., sun to partial shade, well drained soil, birds, butterflies
Sweetflag ( <i>Acorus calamus</i> )	4'	strap-like leaves and spathe flowers in summer, moist to wet soil, sun
Turtlehead ( <i>Chelone glabra</i> )	1-2 ½'	large white flowers, Aug-Sep, full to part sun, moist soil
Vervaine, Blue ( <i>Verbena hastata</i> )	4-6'	blue-violet spikes of flowers, July, moist to wet soils, full sun, hummingbirds

## NATIVE TREES/SHRUBS

Buttonbush ( <i>Cephalanthus occidentalis</i> )	5-5.5'	multi-stemmed shrub, white spherical flower heads, partial sun, moist to wet soils
Crossvine ( <i>Bignonia capreolata</i> )	vine	red and yel tube-shaped flowers, May, bifoliate leaves, high climbing, shade, hummers
Dwarf Chestnut ( <i>Castanea pumila</i> )	15'	small bushy tree, sun to partial sun
Indigo Bush ( <i>Amorpha fruticosa</i> )	8-12'	shrubby plant with spikes of purple flowers, full sun, moist to wet soil
Pawpaw ( <i>Asimina triloba</i> )	10-35'	small understory tree with edible fruits, shade to partial shade, avg. to moist soil
Passionflower Vine ( <i>Passiflora incarnata</i> )	vine	purple fringed flower, July, dry, sunny
Trumpetvine ( <i>Campsis radicans</i> )	vine	reddish orange trumpet-shaped flowers, July-September, average soil, hummers

## NATIVE WARM SEASON GRASSES

Appalachian Sedge ( <i>Carex appalachica</i> )	12"	fine hair-like foliage, dry shade, groundcover
Blue Wood Sedge ( <i>Carex flaccosperma</i> )	6-10"	blue to blue-green leaves, full to part shade, drought tolerant
Bluestem, Big ( <i>Andropogon gerardi</i> )	3-6'	ornamental bunch grass, sun, nice winter color
Bluestem, Little ( <i>Schizachyrium scoparium</i> )	3'	attractive bunch grass with silvery flower heads and russet fall color
Bottlebrush Grass ( <i>Hysterix patula</i> )	2-4'	long-bristled flower spikelets, June-Aug., shade to partial shade
Brown Fox Sedge ( <i>Carex vulpinoidea</i> )	2-3'	hardy sedge for moist-wet soils, full to part sun, small brown and green flowers, birds
Bushy Beardgrass ( <i>Andropogon glomeratus</i> )	3-4'	beautiful beardgrass that prefers moist areas
Dark Green Bulrush ( <i>Scirpus atrovirens</i> )	3-5'	large sedge, rounded dark green-brown flower clusters, moist-wet soils, shallow water

Eastern Gamma Grass ( <i>Tripsacum dactyloides</i> )	6'	large coarse grass, sun to partial sun, moist soils
Fringed sedge ( <i>Carex crinita</i> )	2-5'	June, moist to wet soil, sun to partial sun, birds
Indian Grass ( <i>Sorghastrum nutans</i> )	5-6'	bunch grass with tall seed head, russet fall color, good wildlife cover
June Grass ( <i>Koeleria cristata</i> )	2'	short, slender grass for landscaping in masses, part-full sun, blooms early
Melic Grass ( <i>Melica nitens</i> )	2'	good landscaping grass, full to part sun, normal soil
River Oats ( <i>Chasmanthium latifolium</i> )	2-3'	arching stems with flattened florets, moist soil, part sun, drought tolerant, nice landscaping plant
Sallow Sedge ( <i>Carex lurida</i> )	2-5'	June, moist to wet soils, sun- partial sun, birds
Silver Beardgrass ( <i>Andropogon ternarius</i> )	3-3.5'	growth habit like Little Bluestem, silver flowering plumes, well-drained soil, part to full sun
Switchgrass ( <i>Panicum virgatum</i> )	3-5'	graceful seed heads, grows in clumps, dry to moist soil, sun, birds
Virginia Wild Rye ( <i>Elymus virginicus</i> )	2-4'	blue green seed heads, sun-partial shade, sandy to wet soils

For additional information about the Salato Wildlife Education Center Native Plant Program and/or the Native Plant Sale, contact Mary Carol Cooper at (502) 564-5280 or by email at [marycarol.cooper@ky.gov](mailto:marycarol.cooper@ky.gov).